

Amendments to the Claims

Please amend Claims 1, 8, 15 and 22, as follows:

1. (Currently Amended) A system for mapping values collected in connection with creation of end-user orders for communications services to corresponding inter-provider orders, comprising:

an end-user ordering module operable to:

display a service provider product catalog to an end user, wherein
the service provider product catalog comprises one or more service
items, each corresponding to a service item type,
each service item type has a corresponding set of service specifications
that describe the service item type,
one or more service items correspond to a corresponding local
product item of one or more local product items available from
an inter-provider ordering module,
each local product item corresponds to a local item type,
each of the one or more local item types has a corresponding set of
local specifications that describe the local item type;
determine one or more developer defined labels (DDLs) for each of the one
or more service items that have a corresponding local product item,
wherein
each DDL comprises a local specification from the set of local
specifications that is missing from the set of service
specifications;

determine whether an end-user requested service item ~~contained in a service~~
~~provider product catalog~~ relates to a service item type having at least
one associated ~~developer defined label (DDL), the DDL extending the~~
~~attributes of the associated service item type by specifying an~~
~~additional attribute for which a value may be collected from the end-~~
~~user and supplied in connection with creation of an end-user order for~~
~~the requested service item, the value not needed to complete the end-~~

~~user order but collected and supplied to avoid needing to collect the value from the end-user in connection with subsequent creation of an inter-provider order that corresponds to the end-user order;~~

if the requested service item relates to a service item type having at least one DDL, prompt ~~[[a]] the end-user of the end-user ordering module to collect from the end-user and supply for~~ a value of each ~~for the~~ additional DDL-specified attribute in connection with creation of an ~~the~~ end-user order for the requested service item; and

communicate the end-user order for use in subsequently creating a ~~the~~ corresponding inter-provider order; and

the ~~[[an]]~~ inter-provider ordering module coupled to the end-user ordering module and operable to:

receive the end-user order;

determine whether the end-user order has a value for each ~~the~~ additional DDL-specified attribute; and

if the end-user order has a value for the additional DDL-specified attribute, automatically map the value from the end-user order to an appropriate field of the inter-provider order ~~such that the value need not be collected from the end-user in connection with creation of the inter-provider order.~~

2. (Original) The system of claim 1, wherein the inter-provider order comprises an industry standard Local Service Request.

3. (Original) The system of claim 2, wherein:

the requested service item is an unbundled port;

the additional DDL-specified attribute is selected from the group consisting of a Local Existing Account Number (LEAN) and a Local Existing Account Telephone Number (LEATN); and

the associated service item type is provided for mapping an unbundled port from an end-user order to an LSR.

4. (Original) The system of claim 2, wherein the DDL allows a developer of the end-user ordering module to provide for collection of additional attribute values in response to an industry mandated change in LSR format without necessitating the development of new software.
5. (Original) The system of claim 2, wherein the value is automatically mapped to appropriate fields of multiple forms included within the LSR.
6. (Original) The system of claim 1, wherein the end-user ordering module is operable to relate the requested service item to a product specification and relate the product specification to a service item type to determine whether the requested service item relates to a service item type having a DDL.
7. (Original) The system of claim 1, wherein the end-user ordering module is further operable to validate that the value for the additional DDL-specified attribute has been supplied before communicating the end-user order.

8. (Currently Amended) Software for mapping values collected in connection with creation of end-user orders for communications services to corresponding inter-provider orders, the software embodied in a computer-readable storage medium and when executed by one or more computers operable to:

display a service provider product catalog to an end user, wherein

the service provider product catalog comprises one or more service items,

each corresponding to a service item type,

each service item type has a corresponding set of service specifications that describe the service item type,

one or more service items correspond to a corresponding local product item of one or more local product items available from an inter-provider ordering module,

each local product item corresponds to a local item type,

each of the one or more local item types has a corresponding set of local specifications that describe the local item type;

determine one or more developer defined labels (DDLs) for each of the one or more service items that have a corresponding local product item, wherein

each DDL comprises a local specification from the set of local specifications that is missing from the set of service specifications;

determine whether an end-user requested service item ~~contained in a service provider product catalog~~ relates to a service item type having at least one associated ~~developer defined label (DDL), the DDL extending the attributes of the associated service item type by specifying an additional attribute for which a value may be collected from the end-user and supplied in connection with creation of an end-user order for the requested service item, the value not needed to complete the end-user order but collected and supplied to avoid needing to collect the value from the end-user in connection with subsequent creation of an inter-provider order corresponding to the end-user order;~~

if the requested service item relates to a service item type having at least one DDL, prompt ~~[[a]] the end-user of the software to collect from the end-user and supply for~~ a value of each ~~for the~~ additional DDL-specified attribute in

connection with creation of an ~~the~~ end-user order for the requested service item;
and
provide the end-user order for use in subsequently creating the corresponding inter-provider order;
determine whether the end-user order has a value for each ~~the~~ additional DDL-specified attribute; and
if the end-user order has a value for the additional DDL-specified attribute, automatically map the value from the end-user order to an appropriate field of the inter-provider order ~~such that the value need not be collected from the end-user in connection with creation of the inter-provider order.~~

9. (Original) The software of claim 8, wherein the inter-provider order comprises an industry standard Local Service Request.

10. (Original) The software of claim 9, wherein: the requested service item is an unbundled port; the additional DDL-specified attribute is selected from the group consisting of a Local Existing Account Number (LEAN) and a Local Existing Account Telephone Number (LEATN); and the associated service item type is provided for mapping an unbundled port from an end-user order to an LSR.

11. (Original) The software of claim 9, wherein the DDL allows a developer of the software to provide for collection of additional attribute values in response to an industry mandated change in LSR format without necessitating the development of new software.

12. (Original) The software of claim 9, wherein the value is automatically mapped to appropriate fields of multiple forms included within the LSR.

13. (Original) The software of claim 8, wherein the software is operable to relate the requested service item to a product specification and relate the product specification to a service item type to determine whether the requested service item relates to a service item type having a DDL.

14. (Original) The software of claim 8, wherein the software is further operable to validate that the value for the additional DDL-specified attribute has been supplied before providing the end-user order.

15. (Currently Amended) A method of mapping values collected in connection with creation of end-user orders for communications services to corresponding inter-provider orders, comprising:

displaying a service provider product catalog to an end user, wherein
the service provider product catalog comprises one or more service items,
each corresponding to a service item type,
each service item type has a corresponding set of service specifications that
describe the service item type,
one or more service items correspond to a corresponding local product item
of one or more local product items available from an inter-provider
ordering module,
each local product item corresponds to a local item type,
each of the one or more local item types has a corresponding set of local
specifications that describe the local item type;
determining one or more developer defined labels (DDLs) for each of the one or
more service items that have a corresponding local product item, wherein
each DDL comprises a local specification from the set of local specifications
that is missing from the set of service specifications;

determining whether an end-user requested service item ~~contained in a service provider product catalog~~ relates to a service item type having at least one associated ~~developer defined label (DDL), the DDL extending the attributes of the associated service item type by specifying an additional attribute for which a value may be collected from the end-user and supplied in connection with creation of an end-user order for the requested service item, the value not needed to complete the end-user order but collected and supplied to avoid needing to collect the value from the end-user in connection with subsequent creation of an inter-provider order corresponding to the end-user order;~~

if the requested service item relates to a service item type having at least one DDL,
prompting ~~[[a]]~~ ~~the end-user to collect from the end-user and to supply for~~ a
value of each ~~for the~~ additional DDL-specified attribute in connection with
creation of an ~~the~~ end-user order for the requested service item; ~~and~~
providing the end-user order for subsequent use in creating the corresponding inter-
provider order;
determining whether the end-user order has a value for the additional DDL-specified
attribute; and
if the end-user order has a value for the additional DDL-specified attribute, automatically
mapping the value from the end-user order to an appropriate field of the inter-
provider order ~~such that the value need not be collected from the end-user in~~
~~connection with creation of the inter-provider order.~~

16. (Original) The method of claim 15, wherein the inter-provider order comprises an industry standard Local Service Request.

17. (Original) The method of claim 16, wherein: the requested service item is an unbundled port; the additional DDL-specified attribute is selected from the group consisting of a Local Existing Account Number (LEAN) and a Local Existing Account Telephone Number (LEATN); and the associated service item type is provided for mapping an unbundled port from an end-user order to an LSR.

18. (Original) The method of claim 16, wherein the DDL allows a developer of software performing the method to provide for collection of additional attribute values in response to an industry mandated change in LSR format without necessitating the development of new software.

19. (Original) The method of claim 16, wherein the value is automatically mapped to appropriate fields of multiple forms included within the LSR.

20. (Original) The method of claim 15, wherein the requested service item is related to a product specification and the product specification is related to a service item type to determine whether the requested service item relates to a service item type having a DDL

21. (Original) The method of claim 15, further comprising validating that the value for the additional DDL-specified attribute has been supplied before providing the end-user order.

22. (Currently Amended) A system for mapping values collected in connection with creation of end-user orders for communications services to corresponding inter-provider orders, comprising:

means for displaying a service provider product catalog to an end user, wherein
the service provider product catalog comprises one or more service items,
each corresponding to a service item type,
each service item type has a corresponding set of service specifications that
describe the service item type,
one or more service items correspond to a corresponding local product item
of one or more local product items available from an inter-provider
ordering module,
each local product item corresponds to a local item type,
each of the one or more local item types has a corresponding set of local
specifications that describe the local item type;
means for determining one or more developer defined labels (DDLs) for each of the
one or more service items that have a corresponding local product item,
wherein
each DDL comprises a local specification from the set of local specifications
that is missing from the set of service specifications;

means for determining whether an end-user requested service item ~~contained in a~~
~~service provider product catalog~~ relates to a service item type having at least
one associated ~~developer defined label (DDL), the DDL extending the~~
~~attributes of the associated service item type by specifying an additional~~
~~attribute for which a value may be collected from the end-user and supplied~~

~~in connection with creation of an end-user order for the requested service item, the value not needed to complete the end-user order but collected and supplied to avoid needing to collect the value from the end-user in connection with subsequent creation of an inter-provider order corresponding to the end-user order;~~

means for, if the requested service item relates to a service item type having at least one DDL, prompting ~~[[a]]~~ the end-user ~~of the software to collect from the end-user and supply a value~~ for the additional DDL-specified attribute in connection with creation of an ~~[[the]]~~ end-user order for the requested service item;

means for providing the end-user order for use in subsequently creating a ~~the~~ corresponding inter-provider order;

means for determining whether the end-user order includes a value for each ~~the~~ additional DDL-specified attribute; and

means for, if the end-user order has a value for the additional DDL-specified attribute, automatically mapping the value from the end-user order to an appropriate field of the inter-provider order ~~such that the value need not be collected from the end-user in connection with creation of the inter-provider order.~~

23-26. Canceled.